## FLIGHT SUMMARY REPORT

Flight #:

91-033

Date:

29 November 1990

Sensor Package:

Wild-Heerbrug RC-10

Thematic Mapper Simulator (TMS)

Area(s) Covered:

Boulder City, Nevada/Arizona

Investigator(s): Ferry Flight to Kelly AFB, Texas

Aircraft #:

708

Flight Request: 91X002

Julian Date: 333

### SENSOR DATA

Accession #:

04168

04169

Sensor ID #:

034

023

101

Sensor Type:

RC-10

RC-10

**TMS** 

Focal Length:

12"

153.21 mm

Film Type:

High Definition

304.66 mm

Aerial Color SO-242

Aerochrome IR SO-131 cc.10B

None

Spectral Band:

510-900 nm

400-700 nm

f Stop:

Filtration:

4

Shutter Speed:

1/100

# of Frames:

1/100

11

% Overlap:

60

60

Quality:

Excellent

Excellent

Good

Remarks:

## Airborne Science and Applications Program

The Airborne Science and Applications Program (ASAP) is supported by three ER-2 high altitude Earth Resources Survey aircraft. These aircraft are operated by the High Altitude Missions Branch at NASA-Ames Research Center, Moffett Field, California. The ER-2s are used as readily deployable high altitude sensor platforms to collect remote sensing and in situ data on earth resources, celestial phenomena, atmospheric dynamics, and oceanic processes. Additionally, these aircraft are used for electronic sensor research and development and satellite investigative support.

The ER-2s are flown from various deployment sites in support of scientific research sponsored by NASA and other federal, state, university, and industry investigators. Data are collected from deployment sites in Kansas, Texas, Virginia, Florida, and Alaska. Cooperative international scientific projects have deployed the aircraft to sites in Great Britain, Australia, Chile, and Norway.

Photographic and digital imaging sensors are flown aboard the ER-2s in support of research objectives defined by the sponsoring investigators. High resolution mapping cameras and digital multispectral imaging sensors are utilized in a variety of configurations in the ER-2s' four pressurized experiment compartments. The following provides a description of the digital multispectral sensor used for data collection during this flight.

### Thematic Mapper Simulator

The Daedalus Thematic Mapper Simulator (TMS) is a multispectral scanner flown aboard the ER-2 aircraft which simulates spatial and spectral characteristics of the seven Landsat-D Thematic Mapper bands. The specific bands are as follows:

Daedalus Channel	TM Band	Wavelength, µm
1	Α	0.42 - 0.45
2	1	0.45 - 0.52
3	2	0.52 - 0.60
4	В ,	0.60 - 0.62
	3	0.63 - 0.69
7	C	0.69 - 0.75
/ Q	4	0.76 - 0.90
o o	Ď	0.91 - 1.05
10	3	1.55 - 1.75
11	1	2.08 - 2.35
12	6	8.5 - 14.0 low gain
-~	U	8.5 - 14.0 high gain

Sensor/aircraft parameters are as follows:

IFOV:
Ground Resolution:
Total Scan Angle:
Swath Width:
Pixels/Scan Line:
Scan Rate:

1.25 mrad
81 feet (25 meters) at 65,000 feet
430
8.4 nmi (15.6 km) at 65,000 feet
716

Ground Speed: 12.5 scans/second 400 kts (206 m/second)

**NOTE:** Information on data tape format, logical record format, and scanner calibration data may be obtained from the NASA-Ames Aircraft Data Facility at (415) 604-6252 or FTS 464-6252.

# CAMERA FLIGHT LINE DATA FLIGHT NO. 91-033

04168 Accession #

Sensor #

034

		T	 				 	-11
	Cloud Cover/Remarks							
		Clear		4				
Altitude, MSL	feet/meters	65000/19800						
ır, min, sec)	END	17:06:20			10			
Time (GMT-h	START END	17:01:40						
Frame	Numbers	1689-1699						
Check	Points	A - B						

## CAMERA FLIGHT LINE DATA FLIGHT NO. 91-033

**Accession #** 04169

Sensor # 023

	Cloud Cover/Remarks	31					
		Clear					
Altitude, MSL	feet/meters	65000/19800					
r, min, sec)	END	17:06:14					
Time (GMT-h	START END	17:01:35					
Frame	Numbers	7975-7980					
Check	Points	A - B					

# SCANNER FLIGHT LINE DATA FLIGHT NO. 91-033

	total Repeated scanlines	91
	total Interpolated scanlines	13
	total Good I scanlines	6572
	Scan Speed (rps)	12.50
DAEDALUS FLIGHT DATA FLIGHT NUMBER: 91-Ø33	Altitude feet/moter	65000/19812 12.50
DAEDALUS FLIGHT N	Actual scanline begin end	45709 52389
	Actual. time (GMT) begin end	17:05:14.0 17:15:59.0
	Check Points	A-B



